


ITExamDownload



Latest Pdf Braindumps	Top Certifications	Top Vendors
▶ LRP-614	▶ ISEB Certification	▶ ISEB
▶ BCABA	▶ OCE	▶ ASTQB
▶ JN0-740	▶ NVIDIA Certifications	▶ Aruba
▶ 250-405	▶ Network+	▶ Data Center Universit
▶ DS-200	▶ IBM Certified Integrat	▶ HRCI
▶ SDM_2002001040	▶ CCDH	▶ CIW
▶ ST0-250	▶ IBM Certified Advanc	▶ Patchlink
▶ H12-221	▶ eserver Certified Spe	▶ International Consorti
▶ M2180-716	▶ SAP-Certifications	▶ Acme-Packet
	▶ Network Appliance N	
	▶ HCNP	▶ Fortinet
	▶ IFPUG Certifications	▶ Ericsson
	▶ dotMobi Certification	▶ Liferay
	▶ SCMA	▶ Novell
	▶ MCSD	▶ Huawei
	▶ NCLP	▶ RSA
	▶ XMLMaster Certificat	▶ MYSQL
	▶ CS5	▶ ISM
	▶ CHA	▶ CheckPoint

<http://www.itexamdownload.com>

Provide the latest exam dumps for you. Download the free reference for study

Exam : **E20-542**

Title : VMAX3 Solutions and Design
Specialist Exam for Technology
Architects

Vendor : EMC

Version : DEMO

NO.1 You are in a meeting with a customer describing the features of VMAX3 arrays. The customer wants additional information about the VMAX3 factory pre-configuration. Which objects are pre-configured at the factory?

- A. Disk Groups, Data Pools, and a Storage Resource Pool
- B. Storage Resource Pools and Masking Views
- C. Disk Groups, Data Pools, and Storage Groups
- D. Data Pools, Storage Resource Pools, and Port Groups

Answer: A

NO.2 During a scheduled outage of the primary site (R1), a company is operating their production on their disaster recovery site (R2). After the outage, they need to move production back to the R1 site. Which SRDF action is required?

- A. Failback
- B. Restore
- C. Resume
- D. Failover

Answer: A

NO.3 A storage administrator uses Unisphere for VMAX to provision new storage from a VMAX3 array. Which Workload Type is recommended for a combination of small and large block I/O workload?

- A. None
- B. DSS
- C. OLTP
- D. Optimized

Answer: A

NO.4 Which legacy TimeFinder technologies are supported by TimeFinder SnapVX emulation mode?

- A. Mirror, Clone, VP Snap
- B. Mirror, Clone, Snap
- C. Mirror, VP Snap, Snap
- D. Clone, VP Snap, Snap

Answer: A

NO.5 What is a requirement before a port can be disassociated from an FA emulation on a VMAX3?

- A. Port must not be a member of any Port Group.
- B. Port must not belong to an RDF group.
- C. All ports associated with the FA emulation must be offline.
- D. All ports on the I/O module must be offline.

Answer: A

NO.6 You are proposing a VMAX3 eNAS solution to a customer. The customer wants the eNAS system to be backed up to tape. Which I/O module will meet this requirement?

- A. 2-port 10GbE BaseT
- B. 2-port 10GbE Optical
- C. 4-port 8 Gb FC
- D. 4-port 16 Gb FC

Answer: C

NO.7 A TimeFinder SnapVX snapshot of the Storage Group containing four devices is created at 10 AM. The storage administrator adds another device to this Storage Group at 2 PM. The snapshot is used to perform a restore operation at 3 PM.

What will be the status of the newly added device after the restore operation?

- A. Not Ready
- B. Read/Write Enabled
- C. Write Disabled
- D. Failed

Answer: A

NO.8 A customer wants to migrate their file environment to their existing VMAX3. They want to add the eNAS feature to their VMAX3. What advice should be provided to the customer?

- A. eNAS cannot be added to an existing VMAX3 array.
- B. Migration from VNX Unified arrays is supported.
- C. Additional disks and eNAS I/O modules must be added to the VMAX3.
- D. Verify that the file version and the VMAX3 HYPERMAX OS are compatible.

Answer: A

NO.9 You are designing SRDF/S over GigE between two VMAX3 arrays. The production and remote data centers are 100 km apart. What is the expected write response time delay due to latency?

- A. 0.25 ms
- B. 0.5 ms
- C. 1 ms
- D. 2 ms

Answer: C

NO.10 A company has two VMAX3 arrays installed at two different sites. VMAX3 eNAS is configured on both arrays with IP network connectivity between them. The company wants to make multiple copies of their file system volumes while using minimal additional space.

Which EMC technology meets this requirement without additional hardware?

- A. SnapSure
- B. TimeFinder
- C. SRDF
- D. Replicator

Answer: A